



RAPID

Reducing and Preventing
Invasive Alien Species Dispersal

Version 1
November 2018

REGIONAL INVASIVE SPECIES MANAGEMENT PLAN (RIMP): NORTH REGION



Acknowledgments

Version 1- Published: November 2018.
Author: Rebecca Corrie-Close (Cumbria Freshwater Invasive Non-Native Species Initiative / South Cumbria Rivers Trust)

I would like to thank all stakeholders and partners who have made the production of the North RIMP possible.

I would like to especially thank the following people for their support:

Ellie Barham (Yorkshire Wildlife Trust), Sarah Clarke (Yorkshire Dales Rivers Trust/ University of Leeds), Jayne Wilkinson, Peter Evoy and Rachael Halhead (South Cumbria Rivers Trust), Alexia Fish and Jean McKendree (Animal and Plant Health Agency).

Contents

Acknowledgments.....	2
Contents.....	3
Executive Summary.....	4
Introduction.....	6
Northern Region.....	9
1. Stakeholders.....	10
2. High Risk Areas.....	22
Coastal sites in the region.....	22
Freshwater sites in the region.....	22
Assessing a high-risk area.....	23
Criteria to help identify high-risk freshwater areas.....	24
Example of assessing high risk sites.....	28
3. Pathways.....	34
4. Management Priorities.....	40
INNS Management Categories.....	41
Response Protocols.....	47
5. Current State of Play (2018).....	50
6. Suggested Future Actions.....	57
Appendices.....	60
Appendix A: Glossary.....	60
Appendix B: Useful links.....	62
Appendix C: List of Species of European Union of Concern.....	68
Appendix D: RAPID LIFE regions.....	70

Executive Summary

This document is a part of the RAPID LIFE Project, a three-year EU Life funded project whose objective is to deliver a package of measures to reduce the impact and spread of IAS (Invasive Alien Species) in freshwater aquatic, riparian and coastal environments across England. RAPID seeks to bridge the gap between high-level strategies (such as the GB IAS strategy) and action on the ground at local level.

Using a template and guidance developed by national IAS experts, local experts have produced RIMPs for each of five regions in England: North, Midlands, East of England, South West and South East. The RIMPs will deliver consistent (but regionally tailored) recommendations on prevention, early warning, rapid response, eradication and control of IAS (in the above listed target environments) throughout England.

The purpose of the current document is to guide IAS management activities in the North region and to help them to be strategic and coordinated with other regions.

The size of the North region is 3,750, 200 ha. It covers 11 counties including Cumbria, Northumberland, Durham, North Yorkshire, East Yorkshire, South Yorkshire, West Yorkshire, Greater Manchester, Cheshire, Merseyside and Lancashire.

In the development of this RIMP, it was initially intended to hold two workshops (one for coastal stakeholders, the other for freshwater and riparian). However, due to the time of year and timescales, consultations took place through one-to-one discussions, meetings and interviews.

Where appropriate, each RIMP has been modified to incorporate feedback from this consultation.

This document categorises IAS in the North region by priority. It also details pathways of introduction, the high-risk areas and also the key stakeholders.

In this document, IAS are allocated to a priority category for management based on their risk and relative occurrence in the region: Black – prevention; Red – eradicate; Amber & Green – long-term management.

The RIMPs also contain information and/or links to information on IAS identification, reporting procedures and good practice management guidelines.

All of the RIMPs will need be reviewed periodically and updated as needed to reflect current trends, partnerships and best IAS management practices.

Introduction

The RAPID LIFE Project

Globally, invasive alien species (IAS) are one of the most significant causes of biodiversity loss, second only to habitat destruction (Convention for Biological Diversity)

[RAPID \(Reducing And Preventing IAS Dispersal\) LIFE](#) is a three-year EU funded project working to protect freshwater aquatic, riparian and coastal biodiversity by embedding a coordinated, strategic and evidence-based approach to managing IAS across England. In doing so, this project seeks to bridge the gap between high-level strategies and action on the ground at a local level.

Please note that “IAS” is the European term for invasive species, but as “INNS” (invasive non-native species) is the most commonly used term in the UK (and is synonymous with IAS), this term will be used for the most part throughout the rest of this document.

Man first arrived in Britain about 8,000 years ago and virtually all new land animals and plants that have become established since this date have been brought here by man. These are all **non-native species**. However, we must not think that all non-native species are bad – indeed it is only a minority that have serious negative impacts on our

native British species, our health and our economy. These species we call **invasive non-native species** (INNS).

Biosecurity is about reducing the risk of introducing or spreading invasive non-native species (and other harmful organisms such as diseases) in the wild.

The RIMPs

The RAPID LIFE project splits England into five regions (Figure 1). An integral component of RAPID is the development of Regional IAS Management plans (RIMPs). Using a template and guidance developed by national IAS experts, local experts will produce RIMPs for each of five regions in England. These plans aim to deliver consistent, but regionally relevant, information and advice for prevention, early warning, rapid response, eradication and control of IAS.




Figure. 1 For the purposes of the RAPID LIFE Project, England has been split into five regions.

Each RIMP focuses on three key elements for invasive species management: 1) building partnerships and collaborations; 2) education and awareness raising; and 3) control and management. Each RIMP works to identify regional and local potential pathways and 'hotspots' for IAS introductions, assisting local stakeholder groups to identify priority areas for awareness-raising and modes of delivering educational messages.

INNS will be allocated to a priority category for management based on their risk and relative occurrence in each region.

The RAPID LIFE project runs from 2017 to 2020 and is overseen by Animal and Plant Health Agency, working in partnership with British Zoological Society and Natural England and is coordinated by Alexia Fish.

The Northern RIMP.

This Invasive Alien Species Management Plan addresses freshwater, riparian and coastal invasive species across the Northern region.

It is for use by all stakeholders in the region and to be used as a guidance document. It is a living document and aims to equip stakeholders with the information they may need to make informed decisions on prioritising future works and funding.

This RIMP aims to address issues associated with INNS within the region and presents strategic actions. It reflects the current work, aspirations and strategic priorities of stakeholders throughout the region.

The RIMP has a focus of working with others, building upon and strengthening partnerships with a wide range of groups.

The development of this RIMP has been inclusive and has involved a range of stakeholders. A draft version has been shared with APHA and wider stakeholders within the region and has been amended considering feedback.

During consultation with stakeholders, it became apparent that local priorities and requirements for information differed from that suggested by the RIMP guidance. It was decided that in this case it would be less useful to list all the [protected sites](#) in the region as these are available online.

This RIMP is intended to help stakeholders to work more efficiently together, to make informed decisions as to where to concentrate efforts, time and funding and to identify key actions to reduce the impact and spread of INNS in the region.

It is to bridge the gap between high-level strategies such as the GB Invasive Non-native Species Strategy and action on the ground at a local level.

In order to keep the document as upto date as possible, records of INNS are only from the past 10 years.

It has an adaptive lifespan and implementation will rely on the formation of strong local and regional partnerships.

Northern Region

Proposed Regions for LIFE Project: North




Figure 2. North of England RAPID LIFE region, which includes the following counties; Cumbria, Northumberland, Durham, North Yorkshire, East Yorkshire, South Yorkshire, West Yorkshire, Greater Manchester, Cheshire, Merseyside and Lancashire.

1. Stakeholders

Invasive Non-Native Species (INNS) readily cross geographic and ownership boundaries. Developing and maintaining cooperative relationships between different stakeholder groups is integral to the management of INNS.

An extensive list of stakeholders throughout the region known to be working on or concerned with INNS were contacted and were invited to input into the development of this Plan.

Table 1 lists national stakeholders.

For the purposes of this Plan, the North region has been divided into 28 areas (or sub-regions) using the Environment Agency Management Areas and [Catchment Based Approach \(CaBA\)](#) regions. These can be seen in Figure 2 and Table 2. Those organisations consulted during the development of this RIMP are in italics.

The coastal areas have been divided into East and West.

There are also a range of projects (listed in Table 2) that are associated with the above stakeholders that specifically focus on INNS. Some of these cover multiple catchment management areas, some are specific to catchments. Many of the above organisations 'work' on INNS in some shape or form. Works vary from controlling widespread INNS to rising awareness of biosecurity.

Table 1. National stakeholders.

Stakeholder Group	Stakeholder
Government and Agency	Department for Environment, Food and Rural Affairs
	Animal and Plant Health Agency
	GB Non-native Species Secretariat
	Environment Agency
	Natural England
	Centre for Environment, Fisheries and Aquaculture Science
	Marine Management Organisation
	British Waterways Board
	Highways England
	Ministry and Defence
	Harbour Authorities
	HM Coastguard
	Inshore Fisheries and Conservation Authority (IFCA)
	Marine Management Organisation (MMO)
	Ministry of Defence (Royal Navy and Royal Marines)
Local Authority	County Councils, District Councils, National Park Authorities,
Non-Governmental Organisations	The Wildlife Trusts
	Royal Society for the Protection of Birds (RSPB)
	The Rivers Trusts
	The Canal and Rivers Trust
	Angling Trust
	National Trust
	Universities
	Biodiversity Data Centres
	Marine Conservation Society
	Coastal Forum
	Areas of Outstanding Natural Beauty (AONBS)
	County Recorders Groups
	Freshwater Biological Association
Mammal Society	
Plant Life	
Recreational	Royal Yacht Association
	Local yachting / boating clubs
	British Canoeing
	Local canoe clubs
	Local Angling clubs and associations
	Moorings Associations
	Recreational Sea Anglers UK
Voluntary / Citizen science	Local Action Groups (LAGS)
	Capturing Our Coast

	Amphibian and reptile groups
	British Sub Aqua Club
	RiverFly Partnership
Industry	Utility Companies
	Farming community
	Fishing industry
	Power stations
	Local Businesses
	Association of British Ports
	Harbours
	Marinas
	Boat hire companies
	Developers
	Construction companies
	Consultancy
	Inshore Fisheries and Conservation Authorities (IFCA)
	Hydropower
	Food, Paper, Chemical industries
	Network Rail
Other	Catchment Partnership Hosts
	Cumbria Freshwater Invasive Non-Native Species (CFINNS) Initiative
	Lancashire Invasive Species Project (Ribble Rivers Trust)
	Bollin Environmental Action and Conservation group (BEACON)
	Yorkshire Invasive Species Forum
	Yorkshire Dales Biosecurity and INNS Working Group
	Tees Rivers Trust Invasive Non-Native Species project
	North-West Wildlife Trust's Irish Sea MARINE Advocacy Programme
	Capturing our Coast
	Landowners
	Schools
	Universities
	Museums




Figure 3. Map of Environment Agency Catchment Management Areas in the region.

A list has been put together during the consultation of the RIMP of stakeholders within catchment management areas, as well as coastal areas. This is by no means an exhaustive list, but it gives an indication of the many organisations and existing partnerships in the region.

[The Catchment Based Approach \(CaBA\)](#) embeds collaborative working at a river catchment scale to deliver cross-cutting improvements to freshwater and coastal environments. [CaBA Partnerships](#) are already engaging lots of stakeholders who should be engaged in any future INNS work.

***Catchment Partnership Hosts**

Italics – consulted as part of the development of this RIMP.

Table 2. Key local stakeholders in the North Region.

Catchment Management Area	Stakeholders	
Aire and Calder	<i>University of Leeds</i>	The Calder and Colne Rivers Trust
	<i>Environment Agency</i>	Leeds City Council
	Forest of Bradford	Aire Action Leeds
	Leeds City Council	Bradford Council
	Aire Rivers Trust*	Calder & Colne Rivers Trust*
	Open Source Arts	Calderdale Council
	<i>River Stewardship Company</i>	<i>Canals and Rivers Trust</i>
	Craven Council	Natural England
	<i>Groundwork Trust</i>	Trust for Conservation Volunteers
	Kirklees Council	Wakefield Council
	<i>RSPB</i>	West Yorkshire Ecology
	<i>Yorkshire Water</i>	<i>Yorkshire Wildlife Trust</i>
	Derwent Humber	<i>Yorkshire Wildlife Trust*</i>
<i>RSPB</i>		Bullbridge and Sawmills Area Civic Society
<i>North York Moors NPA</i>		Campaign for the Farmed Environment
Advyce (Transition Belper)		<i>Canal and Rivers Trust</i>
Amber Valley Borough Council		Chatsworth Estate
Amber Valley Ramblers		Cromford Fly Fishers
Amber Valley Ramblers		DEB
Banks Group		Denby Pottert
Blackwell Parish Council		Derbyshire Wildlife Trust
<i>British Canoeing</i>		Derwent Fly Fishing Club
British Geological Survey		DerwentWISE
Earl of Harrington’s Angling Club		Duffield Parish Council
Ecclesbourne Fly Fishing Club		Ecclesbourne Valley Railway
Derby and Saniacre Canal Trust	<i>Environment Agency</i>	

	Derby City Council	<i>Forestry Commission</i>
	Derby Railway Angling Club	Friends of Ecclesbourne Way
	Derbyshire County Angling Club	Friends of Markeaton Brook
	Derbyshire County Council	Friends of Ripley Greenway
	Derbyshire Dales District Council	Hanson
	Derbyshire Dales Ramblers	Keep Britain Tidy
	Hilcote Environmental Leisure Project	Lowland Derbyshire Biodiversity Partnership
	Lafarge Tarmac	Matlock Angling Club
	Matlock Canoe Club	<i>Natural England</i>
	Moors for the Future	Old Waltonians Fly Fishing Club
	National Farmers' Union	Trent Rivers Trust
	<i>National Trust</i>	Turnditch Orchard Project
	Peak District National Park Authority	University of Derby
	Peak Paddlers	<i>Wild Trout Trust</i>
	Wilkworth Town Centre	
	Severn Trent Water PLC	Trent and Peak Archaeology
	The Grayling Society	<i>St Nicks Environment Centre</i>
Don and Rother	Don Catchment Rivers Trust*	Internal Drainage Boards
	Sheffield Wildlife Trust	<i>Environment Agency*</i>
	Rotherham MBC	Don Consultative
	<i>Yorkshire Wildlife Trust</i>	Canal & River Trust
	Don Gorge Community Group	Doncaster MBC
	Don Catchment Rivers Trust	<i>Yorkshire Water</i>
	SY Forest Partnership	<i>Natural England</i>
	Tata Steel	Sheffield Area Geology Trust
	<i>Wild Trout Trust</i>	Sheffield & Rotherham Wildlife Trust
	Sheffield City Council	<i>Forestry Commission</i>
	Walkers are Welcome	Steel Valley Partnership
	Penny Anderson Associates	Barnsley MBC
	<i>River Stewardship Company</i>	Upper Don Walk Trust
	Moors For the Future	East Peak Innovation Partnership Penistone
	Barnsley Biodiversity Trust	Moss Valley Community Group
	Chesterfield Canal Trust	<i>National Trust</i>
	Derbyshire Wildlife Trust	SPRITE (Sheffield Partnership for Rivers in Town Environments)
	<i>British Canoe</i>	Manvers Waterfront Boat Club
	RSPB and Dearne Valley Green Heart NIA	Denby Dale Parish Council
Esk and Coast	Esk and Coastal Streams Catchment Partnership	Catchment Sensitive Farming
	<i>Yorkshire Wildlife Trust</i>	<i>Yorkshire Water</i>
	<i>Environment Agency</i>	Durham University
	<i>North York Moors National Park Authority*</i>	Yorkshire Esk Rivers Trust*

Hull and East Riding	Hull and East Riding Catchment Partnership	Beverley and North Holderness Internal Drainage Board
	East and North Yorkshire Waterways Partnership	East Riding of Yorkshire Council
	<i>Environment Agency</i>	Hull City Council
	<i>Natural England</i>	Ouse and Humber Drainage Board
	South Holderness Internal Drainage Board	<i>Yorkshire Water</i>
	East Yorkshire Rivers Trust*	<i>Yorkshire Wildlife Trust*</i>
Ribble	<i>Ribble Rivers Trust*</i>	NFU
	Tennant Farmers' Association	Ribble Fisheries Consultative Association
	Hodder Consultative (fisheries),	Calder Consultative (fisheries)
	<i>RSPB</i>	<i>Woodland Trust</i>
	<i>Lancashire Wildlife Trust</i>	<i>Natural England</i>
	Catchment Sensitive Farming	<i>Yorkshire Dales National Park</i>
	Yorkshire Dales Millennium Trust	<i>Forestry Commission</i>
	Forest of Bowland AONB	<i>Environment Agency</i>
	Lancashire County Council	Yorkshire Country Council
	Borough Councils	<i>British Canoe</i>
	The Ramblers Association	<i>United Utilities</i>
	Myerscough College	
Wharf and Lower Ouse	Addingham environment group	<i>Environment Agency</i>
	<i>Forestry Commission</i>	<i>Yorkshire Dales National Park</i>
	<i>Nidderdale AONB</i>	Salmon and Trout Association
	Campaign for the Farmed Environment	<i>National Trust</i>
	<i>Yorkshire Dales Rivers Trust*</i>	Yorkshire Peat Partnership
	Swale and Ure Drainage Board	Yorkshire Farming and Wildlife Partnership
	<i>Natural England</i>	Dales to Vales Catchment Partnership
Swale, Ure, Nidd and Upper Ouse	Nidderdale AONB	East Keswick Wildlife Trust
	Knaresborough Anglers Club	<i>Yorkshire Dales Rivers Trust</i>
	<i>Environment Agency</i>	<i>Natural England</i>
	Catchment Sensitive Farming	NFU
	Campaign for the Farmed Environment	<i>Forestry Commission</i>
	<i>Yorkshire Water</i>	<i>Yorkshire Dales National Park*</i>
	<i>Yorkshire Wildlife Trust</i>	North Yorkshire County Council
	City of York Council	Brompton Flood Prevention Group
	Friends of St Nicholas Fields	Yorkshire Farming and Wildlife Partnership
	local Internal Drainage Boards	Ure Salmon Trust
	Salmon and Trout Association	Yorkshire Dales Environment Network
	Bradford City Anglers	Dales to Vales Catchment Partnership

Northumberland	<i>Environment Agency</i>	<i>Natural England</i>
	Northumbrian Water	Northumberland Wildlife Trust
	National Farmers Union	Northumberland County Council
	Northumberland AONB	Northumberland Rivers Trust*
	Northumbrian Water	
Tyne	Country Land & Business Association	Durham Wildlife Trust
	<i>Environment Agency</i>	<i>Forestry Commission</i>
	<i>Tyne Rivers Trust*</i>	<i>Groundwork</i>
	Gateshead Council	<i>Natural England</i>
	National Farmers Union	North Pennines Area of Outstanding Natural Beauty Partnership
	Newcastle City Council	Northern Farmers & Landowners Group
	North Tyneside Council	Northumberland County Council
	Northumberland Community Flooding Partnership	Northumberland Wildlife Trust
	Northumberland National Park Authority	Port of Tyne
	Northumbrian Water	
Tees	<i>Tees Rivers Trust*</i>	<i>Groundwork North East*</i>
	<i>Environment Agency</i>	Durham County Council
	Stockton Borough Council	Darlington Borough Council
	Hartlepool Borough Council	Middlesbrough Council
	Hurthworth Parish Council	Neasham Parish Council
	Middleton St George Parish Council	Middlesbrough Football Club
	Chemoxy International Ltd	Rockcliffe Hall Hotel and Golf Club
	MAK Distribution	PD Ports
	Wrightson Estate	Cliffe Estate
	Winston Bridge Country Park	E.E.
	Cummins Engineering	Northumbrian Water
	Tees Water Sports Centre	Angling Clubs
Till	<i>Tweed Foundation/ Forum*</i>	<i>Environment Agency</i>
	Federation of Border Angling Associations	Forestry Commission Scotland
	National Farmers Union Scotland	<i>Natural England</i>
	Northumberland County Council	Northumberland National Park
	Northumberland Wildlife Trust	Northumbrian Water
	River Tweed Commission	<i>RSPB</i>
	Scotland's Rural College	Scottish Borders Council
	<i>SEPA</i>	Scottish Government
	Scottish Land and Estates,	Scottish Natural Heritage
	Scottish Water	Visit Scotland
	Southern Uplands Partnership	Borders Forest Trust
Derwent North West	<i>Allerdale Borough Council</i>	<i>West Cumbria Rivers Trust*</i>
	<i>Derwent Owners Association</i>	<i>Lake District National Park Authority</i>
	<i>Natural England</i>	<i>National Trust</i>

	<i>United Utilities</i>	Forestry Commission
	Woodland Trust	<i>Cumbria County Council</i>
	<i>Cumbria Wildlife Trust</i>	Farmer Network
	Foundation for Common Land	NFU
	Cumbria Woodlands	Countryside Landowners Association
	<i>Lake District National Park</i>	Highways England
	Iggesunds	Lancaster University
	Love My Beach	Cumbria Freshwater Invasive Non-Native Species Initiative
	Allerdale Borough Council	Derwent Owners Association
	Dovenby Parish Council	Flimby Flood Action Group
	Braithwaite Flood Action Group	Workington Flood Action Group
Eden and Esk	<i>Eden Rivers Trust*</i>	Cumbria Freshwater Invasive Non-Native Species Initiative
	Galloway Fisheries Trust*	Ullswater Steamers
	Allerdale District Council	Foundation for Common Land
	Friends of the Lakes	Carlisle City Council
	Highways England	Countryside Landowners Association
	Lake District National Park	Cumbria County Council
	Lancaster University	Cumbria Farm Enterprise Partnership
	National Trust	Cumbria Wildlife Trust
	Natural England	Cumbria Woodlands
	Network Rail	Durham University
	Newground	Eden District Council
	NFU	North Pennines AONB
	Environment Agency	RSPB
	Forestry Commission	The Farmer Network
	United Utilities	Woodland Trust
	United Utilities	Yorkshire Water
	Yorkshire Dales National Park	
Kent and Leven	<i>South Cumbria Rivers Trust*</i>	<i>Arnside and Silverdale AONB</i>
	<i>South Lakeland District Council</i>	<i>Windermere Lake Cruises</i>
	<i>Lake District National Park Authority</i>	<i>Natural England</i>
	<i>Environment Agency</i>	<i>Cumbria Wildlife Trust</i>
	<i>United Utilities</i>	<i>Morecambe Bay Partnership</i>
	<i>The National Trust</i>	<i>Woodland Trust</i>
	Freshwater Biological Association	RSPB Leighton Moss
	Forestry Commission	Cumbria Freshwater Invasive Non-Native Species Initiative
South West Lakes	<i>West Cumbria Rivers Trust*</i>	<i>South Cumbria Rivers Trust</i>
	<i>Natural England</i>	<i>Lake District National Park Authority</i>
	<i>United Utilities</i>	<i>National Trust</i>
	Woodland Trust	Forestry Commission
	<i>Cumbria Wildlife Trust</i>	<i>Cumbria County Council</i>
	Foundation for Common Land	Farmer Network

	Cumbria Woodlands	NFU
	<i>Lake District National Park</i>	Countryside Landowners Association
	Iggesunds	Highways England
	Love My Beach	Lancaster University
	Bootle Parish Council	Copeland Borough Council
	Cumbria Freshwater Invasive Non-Native Species Initiative	
Waver and Wampool	<i>Allerdale Borough Council</i>	<i>West Cumbria Rivers Trust*</i>
	<i>Derwent Owners Association</i>	<i>Lake District National Park Authority</i>
	<i>Natural England</i>	<i>National Trust</i>
	<i>United Utilities</i>	Forestry Commission
	Woodland Trust	<i>Cumbria County Council</i>
	<i>Cumbria Wildlife Trust</i>	Farmer Network
	Foundation for Common Land	NFU
	Cumbria Woodlands	Countryside Landowners Association
	<i>Lake District National Park</i>	Highways England
	Iggesunds	Lancaster University
	Love My Beach	<i>Solway Firth Partnership</i>
	Cumbria Freshwater Invasive Non-Native Species Initiative	
Lune	<i>Lune Rivers Trust*</i>	<i>Lancashire Wildlife Trust</i>
	<i>Living Lune</i>	<i>Yorkshire Dales National Park</i>
	<i>United Utilities</i>	Lower Lune Catchment Sensitive Farming
	<i>Environment Agency</i>	<i>Morecambe Bay Partnership</i>
	<i>RSPB</i>	Bentham Anglers
	Tebay Anglers	Wyre Borough Council
	<i>Cumbria County Council</i>	Forest of Bowland AONB
	Carnforth Anglers	Keer Regeneration Group
	<i>Arnside and Silverdale AONB</i>	Lune and Wyre Fisheries Association
	Restoring Roeburn	LEC, Lancaster University
	Lancaster City Council	
	Carnforth Town Council	
Irwell	<i>Salford Council</i>	<i>Mersey Rivers Trust</i>
	<i>Bury Council</i>	<i>Lancashire Wildlife Trust</i>
	<i>Ircamp (Groundwork/ Lancs Wildlife Trust)</i>	<i>Canal and Rivers Trust</i>
	The Conservation Volunteers	<i>Groundwork (Manchester Salford Stockport Tameside and Trafford)*</i>
	<i>Manchester City Council</i>	<i>Environment Agency</i>
	<i>Groundwork BBOR Bolton Bury Oldham Rochdale</i>	<i>National Trust</i>
	Woodland Trust	Forestry Commission
	<i>Manchester University</i>	<i>Salford University</i>
	<i>Manchester Met University</i>	<i>Peel Holdings</i>
	Groundwork Blue Sky	<i>Salford Friendly Anglers</i>

	Moors 4 the Future	University of Salford
	Wildfowl and Wetland Trust	Angling Trust
	The Wild Trout Trust	
	<i>United Utilities</i>	University of Manchester
	City of Trees	Healthy Waterways Trust
	Broughton Trust	CityCo (Private)
	Local Authorities/Councils - Salford, Rossendale, Bury, Bolton, Manchester, Oldham, Rochdale, Combined Greater Manchester Authorities	South Pennines Natural Capital Group (Greater Manchester),
Wyre	<i>Wyre Rivers Trust*</i>	<i>Environment Agency</i>
	<i>United Utilities</i>	Blackpool and the Fylde College
	<i>Lancaster University</i>	The Friends of Garstang Walking Festival
	Garstang Millennium Green Trust	Wyre Borough Council
	Grosvenor Estates - Abbeystead	The Lune and Wyre Fisheries Association
Douglas	Groundwork: Cheshire, Lancashire and Merseyside*	United Utilities
	Lancashire Wildlife Trust	Environment Agency
	NFU	Councils- Wigan, Chorley, West Lancashire and South Ribble
	Ribble Rivers Trust	South Ribble Council
	City of Trees	Cuerden Valley Park Trust
	Canal and Rivers Trust	Mersey Forest
	Friends of the Yarrow Valley	
Alt and Crossens	<i>Mersey Rivers Trust*</i>	<i>Environment Agency</i>
	<i>United Utilities</i>	Local Authorities (Sefton, Knowsley, Wirrel and Lancashire)
	National Farmers Union	RSPB
	Mersey Forest	<i>Lancashire Wildlife Trust</i>
	Natural England	Mott MacDonald
	Wildfowl and Wetland Trust	
Upper Mersey	<i>Mersey Rivers Trust*</i>	Local Authorities – Tameside, Trafford, Oldham, Stockport, High PEAK, Cheshire East, Manchester Local and Combined Authorities
	<i>Environment Agency</i>	<i>United Utilities</i>
	<i>Natural England</i>	GMEU
	City of Trees	Moors for the Future
	<i>BEACON</i>	Manchester Met University
	Tatton Estate	<i>Cheshire Wildlife Trust</i>
	<i>Lancashire Wildlife Trust</i>	Peel Holdings
	<i>Groundwork</i>	<i>Canal & River Trust</i>
	<i>Angling Trust</i>	<i>National Trust</i>
	Manchester University	Salford University

	Reaseheath Collage	
Lower Mersey	<i>Mersey Rivers Trust*</i>	Mersey Gateway
	<i>Environment Agency</i>	United Utilities
	Local Authorities – Cheshire West and Chester, Warrington, Wirral, Wigan, Halton	National Farmers Union
	Mersey Forest	Unilever
	SSE	City of Trees
	<i>Groundwork</i>	<i>Cheshire Wildlife Trust</i>
	Inspiring Healthy Lifestyles	
Weaver Gowy	<i>Environment Agency</i>	<i>United Utilities</i>
	Cheshire West & Chester Council	<i>Cheshire Wildlife Trust</i>
	Groundwork Cheshire Lancashire and Merseyside*	Grosvenor Estate
	Cholmondeley Estate	Healthy Waterways Trust
	Eaton Estate	Inland Waterways Association
	Jeff Clarke Ecology	University of Liverpool
	Manchester Metropolitan University	Meres & Mosses Landscape Partnership
	National Farmers Union	<i>Natural England</i>
	Reaseheath College	Campaign for the Farmed Environment (Cheshire)
	South West Peak Landscape Partnership	Staffordshire Wildlife Trust
	Sustrans	The Land Trust
	The Mersey Forest	<i>RSPB</i>
	Vale Royal Environmental Network	Wirral Borough Council
	<i>Woodland Trust</i>	Northwich Anglers
	Winsford Anglers	Friends of Anderton & Marbury
West Coast	<i>Peel Ports</i>	Dee Estuary Conservation Group
	ABP Ports	Mersey Estuary Conservation Group
	Whitehaven Marina	NW Coastal Forum
	Sefton Coast Partnership	<i>Morecambe Bay Partnership</i>
	<i>Arnside and Silverdale AONB</i>	<i>Solway Firth Partnership</i>
	Barrow Wildlife and Heritage Advisory Committee	<i>Inshore Fisheries and Conservation Authorities (IFCA)</i>
	<i>North West Wildlife Trust's Irish Sea Marine Advocacy Programme</i>	The Green-Blue
	Marine Scotland	Marine Biological Association
	Natural England	
East Coast	Living Seas CENTRE (Yorkshire Wildlife Trust)	Capturing our Coast project
	Sea-Search North East	Marine Biological Association
	<i>Inshore Fisheries and Conservation Authorities (IFCA)</i>	The Green-Blue
	Natural England	

2. High Risk Areas

'High Risk Area' = areas that are very likely to be invaded

Coastal sites in the region

The coasts in the North region hosts a variety of habitats and species leading to a diverse range of fisheries. Shellfish fishing dominates the West coastal area including fisheries for cockles, mussels, whelks, nephrops, shrimps and potting for lobsters and crabs. There are also finfish fisheries (fish with fins, as opposed to shellfish) in the area including netting for cod, whiting and plaice, and trawling for turbot and sole.

Commercial fishing, recreation and charter vessels are common along the East Coast. Bridlington Port is the largest port in Europe for shellfish landings (mainly crabs and lobsters).

There are a considerable number of large ports, harbours and marinas in the region. There are over 40,000 ship movements every year within the Humber Estuary alone. There is also vessel movement associated with several wind farms and ferry and cargo ports as well as ports to ocean-going

cruise ships. There are various recreational uses of the marine environment including recreational angling, sailing, kitesurfing, scuba-diving and jet-skiing

INNS threaten native species, ecosystems, natural features (such as mussel beds), or interfere with man-made structures and businesses. The introduction of disease to shellfish and finfish is also a significant threat.

In ecological terms, many are designated conservation areas in the region including:

- [Sites of Special Scientific Interest](#) (SSSIs)
- [Special Areas of Conservation](#) (SACs)
- [Special Protection Areas](#) (SPAs)
- [Marine Conservation Zones](#) (MCZ)
- [Ramsar](#) sites

Freshwater sites in the region

The freshwater resources of the region – its many tarns, lakes, rivers and beckes

- are of great ecological and economic significance.

In ecological terms, many are designated conservation areas in the region including:

- [Sites of Special Scientific Interest](#) (SSSIs)
- [Special Areas of Conservation](#) (SACs)
- [Special Protection Areas](#) (SPAs)
- [Ramsar](#) sites
- [National Nature Reserves](#)
- [Wildlife Trust Reserves](#)
- [Local Nature Reserves](#)
- [RSPB Reserves](#)
- [Woodland Trust Reserves](#)
- A multitude of large still waters

Many of which support iconic protected species such as the otter, native white-clawed crayfish and freshwater pearl mussel. Many rivers support healthy fish populations, which in turn support economically important recreational fisheries.

In economic terms, many of the major lakes have been modified to function as water supply reservoirs, and lakes and rivers are a significant draw to visitors, many of whom use the water

environment for activities such as angling, boating and swimming.

Assessing a high-risk area

In the development of this RIMP and through consultation with key stakeholders, it has become clear that identifying and listing all of the 'high risk areas' in the Northern region would very subjective and numerous.

When deciding what is a 'high risk site' there are many variables that must be taken into consideration. If risks cannot be reduced/ mitigated for at a site, then efforts should not be spent there.

Therefore, instead of producing an extensive list of sites, this RIMP will set out the criteria to help in assessing risks at sites. See Table 3.

Local knowledge and understanding of sites will be needed to complete this, stakeholders will need to work collaboratively to think through the process to decide which areas they want to priorities for future work.

Criteria to help identify high-risk freshwater areas



To determine a high risk site, use the table below to give a numerical figure to each/ as many check points that are relevant to your site. Give each check point a risk rating from 1 – 10 depending on the risk factors. To determine the overall risk rating for a site and see where it is on the scale above:

Total risk rating / no. of check points used = Site risk rating (1-10)

Table 3. Criteria to help identify high-risk freshwater sites

Check point	Risk Factors			To consider/tools to help	Risk rating
	Low Risk (1 -3 points)	Medium Risk (4 - 7 points)	High Risk (8 - 10 points)		
Habitat characteristics – suitability for establishment of INNS	Harsh environment Fast flowing Nutrient poor Cold deep waters Minimal human impacts / disturbance	<i>*conditions that are neither low risk or high risk.</i>	Slow moving/ still Nutrient rich Warm shallow waters High human impacts / disturbance	General trend: in harsh climatic conditions and nutrient-poor habitats, invasion levels are low; in nutrient-rich and man-made habitats INNS tend to thrive. Which species could become established?	

Connectivity / Network	Isolated area		Part of a catchment / network and well connected to other waterbodies (e.g./ canal)		
Pathways	<p>No access – private</p> <p>No events</p> <p>No recreational activities</p> <p>No other waterbodies nearby</p> <p>No or few pathways found</p>		<p>Unrestricted access</p> <p>Multiple access points</p> <p>Multiple events take place</p> <p>High recreational activities take place</p> <p>Multiple pathways found</p>	<p>The Stepping-stone principle – if an INNS is introduced and becomes established, what are the pathways out of the site and into others?</p> <p>See Pathways section.</p>	
Visitors	<p>Limited use of site with very few visitors / users</p> <p>Single use</p>		<p>High number of visitors / users of site</p> <p>Multiple activities for visitors to do</p>	<p>What is the main use of the site?</p>	

<p>Accessibility of site</p>	<p>Single access point to site</p> <p>Entry restricted</p> <p>Remote location with difficult access</p>		<p>Multiple access points to site</p> <p>Multiple access points and unrestricted</p> <p>Close to a main road with public parking available</p> <p>Jetty or launch point</p>		
<p>Impact – environmental</p>	<p>Low ecological value site</p> <p>INNS present</p> <p>Minimal impacts to fish (feeding and resting sites)</p>		<p>High ecological value site</p> <p>Currently free of INNS</p>	<p>Look at Magic Map</p> <p>Look at INNS Mapper</p> <p>Should we prioritise more intact sites and ecosystems over those that are already invaded?</p>	
<p>Impact – economic</p>	<p>No businesses affected and no monetary losses.</p> <p>No drainage issues so will not increase</p>		<p>Businesses affected, and establishment of INNS will cause monetary losses.</p> <p>Significant financial cost</p>	<p>See ‘The Economic Cost of Invasive Non-Native Species on Great Britain’</p> <p>Take into consideration management costs, devaluation of site, restoration costs, impacts on leisure, tourism and recreation etc.</p>	

	risks of flooding		<p>implications – operational through impacts; mitigation/control measures; incur a fine for not delivering obligations.</p> <p>Damage the reputation of a business</p> <p>Increased risks of flooding</p>		
Existing biosecurity measures	<p>Cleaning station / area on site.</p> <p>Awareness and training materials available on site.</p> <p>Water users actively engaged with biosecurity measures.</p>		<p>No cleaning station or awareness material available.</p>	<p>See RAPID INNS Management Toolkit: Freshwater Biosecurity Resources</p> <p>See NNS webpage on Biosecurity and Prevention</p>	
Existing understanding of INNS in area	Good understanding of INNS or of biosecurity and carrying		No understanding or engagement	<p>What is the current level of understanding / awareness of INNS and their impact?</p> <p>Do users know how and where to report a new INNS?</p>	

	<p>out of biosecurity measures.</p> <p>Network of people monitoring the site who know how and who to report a new INNS sighting.</p>		<p>of INNS or biosecurity</p> <p>No trained people in identification of INNS or reporting procedures</p>	<p>Is there a network of people at the site monitoring / aware of what to look out for?</p> <p>Will it be reported to the correct organisation?</p> <p>How quickly can a response be mobilised?</p>	
Total Risk Rating =					X

Example of assessing high risk sites.



Using the check points in Table 3 above, below is an example comparing two waterbodies in the Lake District. The check points should be used as a guide to help assess risk of introduction of INNS. From this assessment, it is possible to then decide where to prioritise action and funding.

Table 4. Example of using the criteria to identify high-risk sites.

Check Points	Windermere	Risk Rating	Wastwater	Risk Rating
Habitat characteristics and risk for establishment of INNS	<p>Nutrient rich waters (eutrophic)</p> <p>Data indicating water temperatures rising</p> <p>High level human impacts and activity</p> <p>Large water body – 14.7km²</p>	10	<p>Nutrient poor waters (oligotrophic)</p> <p>Very deep thermocline (mean depth is 40.2m) – cold</p> <p>Large water body 2.9 km²</p> <p>Slow moving water with a long residency time - 352 days</p>	1

	<p>Slow moving water with long residency time north basin - 221 days</p> <p>Highly likely that all freshwater INNS could survive / thrive in this waterbody</p>		<p>Highly unlikely that many INNS could survive/ thrive in this waterbody.</p>	
Connectivity / Network /	<p>The Windermere catchment in which it sits is 230.5 square km</p> <p>To the north of Windermere lie Grasmere and Rydal with Loughrigg tarn and Elterwater to the north west. Blelham Tarn and Esthwaite Water are located to the west and several other small tarns occur within the catchment</p>	10	<p>Single catchment.</p> <p>Isolated.</p>	2
Pathways	<p>Busiest and best known of all the lakes in the Lake District National Park and is the tourism 'honeypot' in the county.</p> <p>Public right of navigation.</p> <p>Recreational activities – flyboarding, sailing, canoeing, kayaking, waterskiing, rowing, wakeboarding, paddleboarding, swimming, ghyll-scrambling, diving, fishing</p> <p>Commercial interests – boat clubs, commercial jetties and marinas, outdoor pursuit and activity centres, lake cruises, access ferry.</p> <p>Over 20 large planned public events held on the water each year (E.g./ Great North Swim – over 1,000 participants; Windermere</p>	10	<p>Main pathway is through recreational events.</p> <p>Limited activity on lake.</p>	3

	Triathlon – over 250 participants)			
Visitors	<p>Within the Lake District National Park</p> <p>Over 1,000 visitor public motorised boats launched every year.</p> <p>Approximately 12,000 participants in water-based events each year.</p>	10	<p>Within the Lake District National Park.</p> <p>Events run on the lake – mainly triathlons.</p>	3
Accessibility of site	<p>7 public jetties around the lake.</p> <p>Multiple access points for public– many of them unrestricted / unmonitored.</p> <p>Multiple parking/ access facilities for public for launching boats, swimming etc.</p> <p>Multiple private access sites.</p> <p>Whole lake is accessible by A and B roads. 20 minutes away from M6.</p>	10	<p>No public access to the lake for recreation.</p> <p>Access only during events which are strictly monitored.</p> <p>One road into and out of the valley which runs alongside the lake.</p> <p>Relatively inaccessible.</p>	1
Impact – environmental	<p>Currently <u>relatively</u> free of freshwater INNS.</p> <p>Known to only have <i>Crassula helmsii</i> and <i>Elodea nuttallii</i> present. Also present around the catchment are Himalayan balsam, Japanese knotweed, giant hogweed and American skunk cabbage but are under control. American signal crayfish have been found in</p>	5	<p>Designated as a SAC and SSSI based on its aquatic flora.</p> <p>Currently believed to be free of INNS.</p>	10

	three small tarns close to the catchment.			
Impact – economic	<p>The establishment of INNS will have serious negative impacts on local businesses as well as businesses that use the lake to run events.</p> <p>Recreational business will be seriously affected if species such as floating pennywort invade as will the cruise boats, recreational users and access ferry.</p> <p>Windermere is also a reserve drinking water supply which can be abstracted under licence when water levels drop at Haweswater and Thirlmere Reservoirs and help safeguard longer-term supplies for public use. INNS establishment may have a significant negative impact on the ability to abstract.</p>	10	<p>Minimal impact of local businesses.</p> <p>Minimal recreational opportunities on water currently exist.</p> <p>Impact of blocking drainage may have negative implications further down the catchment.</p>	3
Existing biosecurity measures	<p>There are currently no cleaning stations available around the lake.</p> <p>There are 15 'Check Clean Dry' signs installed around the catchment.</p> <p>Over 200 people in the catchment have been trained in biosecurity and basic identification of INNS.</p> <p>No legal consenting required for events to take place.</p>	9	<p>There are currently no cleaning stations available around the lake.</p> <p>There are 3 'Check Clean Dry' signs installed around the catchment.</p> <p>National Trust staff in the catchment have been trained in biosecurity and basic identification of INNS.</p> <p>National Trust and Natural England staff for consenting events trained in biosecurity. In order for an event to be allowed on this site, permission has to be granted by both NT and NE. A biosecurity risk assessment must</p>	5

			be carried out and submitted to NT and NE as part of this process.	
Existing understanding of INNS in area	<p>Although multiple organisations around the catchment have been trained and understand the issues – the main risks are from people visiting the area – either on holiday or through events. We are currently researching the level of understanding/ awareness of INNS and biosecurity of these people.</p> <p>There is a network of trained individuals throughout the catchment aware of what species to look out for and how to identify them. Reports get sent through to the CFINNS Initiative for confirmation and to the local recording centre. Future records should be sent to INNS Mapper.</p> <p>There are currently no local response units able to be mobilised if a high priority species is identified due to lack of funding.</p>	10	National Trust and Natural England staff for consenting events are trained in biosecurity measures and requirements.	2
<u>Total Risk rating</u>		84		30
<u>OVERALL RISK</u>	HIGH	84/9 = 9.3	LOW	30/9 = 3.3

From the table above, it is clear why all the criteria must be considered when assessing where to work. Simply choosing one or two of the check points will not give the whole picture. For example, prioritising Wastwater just because it is a designated site does not mean that it is the most important site to focus biosecurity efforts on.

Now more than ever, it is important to focus the limited resources available for INNS management.

Each organisation and funding body will each have its own agenda and focus. Areas of work and priorities will be different throughout the region, but all must align with the GB Invasive Non-Native Species Strategy objectives of:

- Prevention
- Early detection, surveillance, monitoring and rapid response
- Mitigation, control and eradication.

A strong emphasis must be placed upon prevention and biosecurity. Acting on identifying and blocking pathways of introduction is critical.

3. Pathways

Water is an excellent medium for the dispersal of species and the impact of INNS in water environments is predicted to increase significantly as climate change develops. In 2015, 6% of recorded non-native species in terrestrial environments in GB were reported as having non-minimal impacts, compared to 60% in freshwater and 22% in marine environments. In addition to this, many of the most concerning INNS introduced to GB in recent years have been in the freshwater environment.

The best response to the threat posed by INNS is to prevent them from arriving in the first place, if they do so, reduce the risk of their further spread through management/ treatment, and undertaking enhanced pathway management and promoting biosecurity.

Key pathways need to be recognised and stakeholders need to work together to develop optimal messaging and install sufficient biosecurity measurements to enable the behaviour change required to reduce the spread of INNS.

By utilising the networks of stakeholders in the region, there is an opportunity to make a significant difference in reducing the risks of introduction and spread of INNS.

This will require:

- Social – community engagement
- Capital works – installation of targeted biosecurity cleaning stations
- Policy – Biosecurity bylaws, procedure requirements.

Below is a list of suggested objectives, outputs and actions. Each of these steps will require a significant amount of work to achieve.

Objective: Reduce the risk of the introduction and spread of INNS.

Output 1: Identify, address and prioritise pathways

- Identify pathways for specific sites and prioritise based on potential impact and the effectiveness of pathway management
- Develop Pathway Action Plans for priority pathways

Output 2: Ensure stakeholders aware of the impacts of INNS, means of introduction and spread and acting on their responsibilities to reduce the risks.

- Establish baseline understanding of biosecurity (public perceptions and behaviour)
- Promote better access to information about INNS and biosecurity to targeted users

Output 3: Embed biosecurity behaviours into stakeholders.

- Work with stakeholders to ensure that biosecurity is included into plans, policies, procedures and action on the ground.

For the purposes of this RIMP, a list has been collated of possible INNS pathways, their associated stakeholders and possible preventative actions. This list is in no way exhaustive. It is merely to act as a guide to assist stakeholders when assessing risks associated with specific locations and activities.

Ways in which to manage pathways for the introduction or spread of INNS should be considered when assessing future priorities.

The GB Strategy calls for the development of [Pathway Action Plans](#) (PAPs) for priority pathways of introduction of INNS. The first of these PAPs, the Zoos Pathway Action Plan,

has been drafted and the Freshwater Recreation PAP is currently in development. These PAPs could be used as a template by stakeholders to develop site and activity specific plans.

COASTAL.

Table 5. Coastal INNS Pathways and Associated Stakeholders.

Pathway	Stakeholders	Possible preventative action
Ballast Water	Port Authorities, Harbour Masters, vessel owners and users	Do not pump non-sterilised water out in harbours. See International Convention for the Control and Management of Ships' Ballast Water and Sediments .
Hull fouling	All vessel owners and users – fisheries, recreational boating, shipping companies, boat/kayak designers	Annual haul-out and anti-fouling of vessels. Hull design to prevent fouling and encourage easy cleaning. Marinas implement a 'clean hull' policy.
Coastal port development and maintenance	Vessel owners, Port Authorities, Local Authorities	Good housekeeping. Training to identify marine/coastal INNS and report any sightings.
Port infrastructure as a receptor	Port Authorities, Local Authorities	Good housekeeping. Training to identify marine/coastal INNS and report any sightings.
Fouling of fishing equipment	All fishing sectors and associations using equipment including hand-gatherers.	Biosecurity of all equipment and clothing used in the marine and

		intertidal between use and before moving from one area to another.
Fouling of recreational equipment	All marine groups and associations using equipment including angling, scuba diving, sailing etc	Biosecurity of all marine equipment and clothing between use and before moving from one area to another.
Stock movements (fish, molluscs, crustaceans or seaweed)	Aquaculture industry, fisheries, Aquaculture Stewardship Council.	Biosecurity and training of relevant aquaculture staff and engagement with relevant stakeholders to ensure and promote best practise guidance implementations.
Relocation of structures and equipment	Port Authorities, marinas, fisheries, renewables industry.	Biosecurity of all structures and equipment before moving from one area to another. Check for INNS.
Attached to marine debris /litter	All shipping, Local Authorities, fisheries, Marine Conservation Society, public.	Minimise marine debris/ litter, beach cleaning activities and campaigns.
Escape or release of plants and animals from aquaria	Aquarium stockists / customers, public.	Do not release plants or animals from aquaria.

FRESHWATER

Table 6. Freshwater INNS Pathways and Associated Stakeholders.

Pathway	Stakeholders	Preventative Action
Boating	Recreational water users Boat operators Local canoe and water sports organisations / clubs Resource/ Landowners Event organisers	<ul style="list-style-type: none"> • Biosecurity training. • Building washdown facilities. • Providing mobile cleaning kit for events • Enforcing bylaws
Angling	Recreational water users Anglers Local angling organisations / clubs Resource/ Landowners Event organisers Environment Agency	<ul style="list-style-type: none"> • Biosecurity training • Building washdown facilities. • Providing mobile cleaning kit for events • Enforcing bylaws
Operations / Maintenance	Resource /Landowners Local Councils NGOs	<ul style="list-style-type: none"> • Biosecurity training • Building washdown facilities • Providing mobile cleaning kit for workforce • Biosecurity Policy and procedures • Enforce contractual requirements
Capital works	Resource/ Landowners Local Councils, Planning departments Government Agencies – NE/ EA prior to consent	<ul style="list-style-type: none"> • Enforcing contractual requirements on construction partners • Biosecurity training • Biosecurity Policy and procedures
Surveys / sampling of sites	Resource/ Landowners NGOs Ecologists Researchers	<ul style="list-style-type: none"> • Biosecurity training • Building washdown facilities • Providing mobile cleaning kit for workforce • Biosecurity Policy and procedures • Enforce contractual requirements
Raw water transfer	Utility Companies	<ul style="list-style-type: none"> • Risk assessments across transfer networks • Mitigation measures put into place • Changes in raw water routing and abstraction times etc
Grounds management	Resource/ Landowners	<ul style="list-style-type: none"> • Biosecurity training

	Local Councils	<ul style="list-style-type: none"> • Building washdown facilities • Providing mobile cleaning kit for workforce • Biosecurity Policy and procedures • Enforce contractual requirements • Training of proper control and disposal measures for INNS.
Farming	Resource / Landowners Rural surveyors Agricultural colleges Contractors	<ul style="list-style-type: none"> • Biosecurity training • Funding necessary requirements for disease control on farms
Public recreation	All	<ul style="list-style-type: none"> • Education of biosecurity training at car parks / access points • Building accessible and free washdown facilities • Training of staff to engage with the public
Intentional introduction (live releases or planting of)	Local Councils Planning departments Gardeners / landscape/ grounds management contractors Public Environment Agency	<ul style="list-style-type: none"> • Training of staff and public • Enforcing contractual requirements on grounds management partners • Enforcing ban of live baiting

4. Management Priorities

During the consultation period, it became clear that current freshwater / riparian management priorities in the region are focussed around long-term management of widespread and well-established INNS. Coastal/ Marine actions are currently focussed on early detection.

Availability of funding for prevention, early detection and rapid response has been very limited, with the primary funding focus being on the national scale campaign of '[Check Clean Dry](#)'.

There are five types of INNS 'Management':

- 1) Prevention (black listed species)** All efforts are on biosecurity and detection.
- 2) Early detection and rapid response**
- 3) Eradication (red listed species)**
High priority to eradicate as soon as detected.
- 4) Long-term management (amber and green listed species)** Widespread and well-established species.

5) Treatment and restoration

Information gathered for this RIMP is based on current knowledge and data previously recorded and/or via consultation. There are many areas and species for which knowledge is missing.

Table 7 shows the current state of play (2018). Please note that this is likely to change so should be used as a guide only. Consult [INNS MAPPER](#) and your local [Biological Recording Centre](#).

Key stakeholders, the [GB Non-native Species Risk Assessments](#), the UK Technical Advisory Group Classification of aquatic alien species and the WFD: according to their level of impact; the EU Species of Concern and the GB NNS Alert Species have been considered in the creation of the table below.

INNS Management Categories

Black-listed species are **currently** not known to be present in the region, but potentially on their way. The goal is to prevent these species from being introduced, spread or established in the region.

They are classified as high-level threats due to their likely **impact on biodiversity** and the **local economy** in combination with the **likelihood of their introduction**.

Red-listed species are high impact and are present in some regions but not well established or abundant. It may be cost effective to seek eradication (where effective control methods exist) before becomes established.

Amber-listed species are well established and for which eradication is not currently feasible, but control is important due to their impact. Medium priority.

Green-listed species are well established and for which eradication is not currently feasible and management is not a priority due to low impact or where the cost effectiveness of control is poor. Low priority.

A description of the impacts of the black and red listed species has been detailed below. For the amber and green listed species, there is information readily available via the [NNSS website](#) as well as the '[Good Practice Management](#)' toolkit available on the RAPID LIFE website which should be used.

(!) = On the 'List of Invasive Alien Species of Union concern'

(*) = GB Alert Species

Black List species which are detected should be moved to the Red List.

Table 7: Black listed species.

	Habitat type	Name	Impacts
Black list species (prevent)	Freshwater	Bloody red shrimp <i>Hemimysis anomala</i>	Direct competitor of native shrimp (such as the opossum shrimp <i>Mysis relicta</i>). Disrupts sensitive food chains and alters nutrient cycles.
	Freshwater	Broadleaved watermilfoil (!) <i>Myriophyllum heterophyllum</i>	Outcompetes other freshwater plants. It forms dense submerged mats which can prevent water flow, reduce sunlight and reduce oxygen availability. The resulting low oxygen conditions can harm or kill aquatic organisms. Impact on recreational use of water bodies.
	Freshwater	American bullfrog (!) <i>Lithobates catesbeianus</i>	Predation and competition may affect native populations of newts, frogs and toads. Can carry chytrid fungus to native amphibians.
	Freshwater	Creeping water-primrose (!) (*) <i>Ludwigia peploides</i>	Can block slow-moving waterways and impacts irrigation and drainage in lakes, ponds and ditches.
	Freshwater	Egyptian goose (!) <i>Alopochen aegyptiacus</i>	Can impact on other wetland birds for food and resources. May also compete with hole-nesting species such as barn owls (the Egyptian Goose nests in elevated nest holes). May damage crops and habitats via trampling and grazing.
	Freshwater	Fanwort (!) <i>Cabomba caroliniana</i>	Dense populations can interfere with recreational activities and matted vegetation can decrease aesthetic value.
	Freshwater	Killer shrimp (*) <i>Dikerogammarus villosus</i>	Aggressive behaviour towards native invertebrates. Due to its large body size and well-developed mouthparts it is an effective predator which kills or simply bites off much more prey than it can consume.

Habitat type	Name	Impacts
Freshwater	Marbled crayfish (!) <i>Procambarus marmoratus</i>	A single specimen is sufficient to create a new population (capable of asexual reproduction) which can reproduce all year round. They are voracious feeders and consume a broad range of aquatic plants and invertebrates. This poses a risk that they may have a direct impact on native aquatic fauna and flora if released to natural waters.
Freshwater	Quagga mussel (*) <i>Dreissena rostriformis bugensis</i>	Attach to hard surfaces and can impact drainage, irrigation and in-flow pipes, attach to and damage hulls, docks, locks and sluice gates. It is a filter feeder so may filter nutrients from water bodies, taking this resource away from native species and fundamentally changing the water quality.
Freshwater	Spiny-cheek crayfish (!) <i>Orconectes limosis</i>	Contributing to the rapid decline in native white-clawed crayfish due to transmission of crayfish plague and competition. Predate a wide range invertebrates and fish so may impact on other native species and food webs. The species creates deep and interconnecting tunnels in the riverbanks which can lead to bank instability and erosion, increased flood risk and economical costs.
Freshwater	Virile crayfish (!) <i>Orconectes virilis</i>	Contributing to the rapid decline in native white-clawed crayfish due to transmission of crayfish plague and competition. Predate a wide range invertebrates and fish so may impact on other native species and food webs. The species creates deep and interconnecting tunnels in the riverbanks which can lead to bank instability and erosion, increased flood risk and economical costs.
Freshwater	Water hyacinth (!) <i>Eichhornia crassipes</i>	Can alter water clarity and decrease phytoplankton production, dissolved oxygen, nitrogen, phosphorous, heavy metals and concentrations of other contaminants.
Freshwater	Water primrose (!) (*) <i>Ludwigia grandiflora</i>	Can significantly impact on native flora due to allelopathic (produces biochemicals that influence the germination, growth, survival, and reproduction of other organisms) activity which affects water quality. It also overshadows and smothers other aquatic flora and so impacts in several ways. In France it has been seen to block slow-moving waterways, hinder navigation and impact on drainage in lakes, ponds and ditches.

Black list species (prevent)

Habitat type	Name	Impacts
Marine/ Coastal	American oyster drill <i>Urosalpinx cinerea</i>	Predation of native oysters, mussels and barnacles. Could have significant economic impact on mussel and oyster farming.
Marine/ Coastal	Asian clam <i>Corbicula fluminea</i>	High filtration rate which affect water quality, stripping nutrients and altering dynamics. Outcompete other species (represents over 95% of benthic biomass in some freshwaters). Biofouling (has caused closure of a nuclear power plant!) and significant impacts on power generating and water treatment industry.
Marine/ Coastal	Asian shore crab <i>Hemigrapsus sanguineus</i>	Significantly reduce native shore crab and mussel density.
Marine/ Coastal	Brush clawed Asian Shore crab <i>Hemigrapsus takanoi</i>	On a Dutch shore where the brush clawed shore crab has reached high densities, a drastic reduction in the number of juvenile native common shore crabs has been observed. Similarly, in Dunkirk harbour this species appears to have replaced the common shore crab as the dominant and most abundant shore crab species. A similar impact on native crabs may occur were the brush-clawed shore crab to become established in GB.
Marine/ Coastal	Carpet sea-squirt (*) <i>Didemnum vexillum</i>	Forms large colonies, having considerable effects on pre-existing sessile hard-surface communities.
Marine/ Coastal	Carpet sea-squirt (*) <i>Didemnum vexillum</i>	Forms large colonies, having considerable effects on pre-existing sessile hard-surface communities.
Marine/ Coastal	Japanese skeleton shrimp <i>Caprella mutica</i>	May compete and be aggressive with native shrimp populations. Significant impact on benthic communities. High densities may block water intakes on pumps and settle on mussel lines.
Marine/ Coastal	Slipper limpet <i>Crepidula fornicata</i>	Forms reefs smothering seabed species and outcompeting native mussels and oysters. May also consume planktonic larvae of some species. Fouls farmed species such as oysters & artificial structures and equipment having a major effect on fisheries. Loss of amenity value due to infestation and impacts on recreational fishing.

Black list species (prevent)

Black list species (prevent)	Habitat type	Name	Impacts
	Terrestrial	Racoon (!) <i>Procyon lotor</i>	May reduce and displace birds. They may reduce natural food resources for native species. They carry a roundworm parasite, are carriers of rabies and cause canine distemper and toxoplasmosis. They often raid rubbish bins and so will cause social and economic issues. The raiding of fruit crops will also result in economic losses.
	Terrestrial	Racoon dog (!) <i>Nyctereutes procyonoides</i>	May compete for food and dens with native animals such as badgers and foxes. They are carriers of diseases such as sarcoptic mange and tapeworm affecting other mammals. They are also one of the main vectors of rabies in Europe.
	Terrestrial	Tree groundsel <i>Baccharis halimifolia</i>	Forms a dense understory in coastal wetlands, salt marshes and woodlands, suppressing native species and altering local habitat/ecosystem. Toxic to livestock and can cause allergic reactions to humans.

Red-listed species are high impact and are present in some regions but not well established or abundant. It may be cost effective to seek eradication (where effective control methods exist) before becomes established.

Table 8: Red listed species.

Red list species (eradicate)	Habitat type	Name	Impacts
	Freshwater	Ruddy Duck <i>Oxyura jamaicensis</i>	Threatens the endangered white-headed duck (<i>Oxyura leucocephala</i>) with extinction due to hybridisation and competition.
	Freshwater	Floating pennywort <i>Hydrocotyle ranunculoides</i>	Very invasive and fast growing. Can quickly cover a waterbody, blocking out light and outcompeting native vegetation. Can impact on access and navigation and choke waterbodies.
	Freshwater / Terrestrial	American skunk cabbage <i>Lysichiton americanus</i>	Displacement and local extinction of species via competition. High economic impact of removal.
	Freshwater	Parrot's feather <i>Myriophyllum aquaticum</i>	Can increase the risks of flooding by blocking watercourses and drainage channels. Can rapidly dominate a water body displacing native species, disruption of erosion-deposition, block light from water, prevent wind mixing leading to oxygen depletion and out-compete native species.

Amber-listed species are well established and for which eradication is not currently feasible, but control is important due to their impact. Medium priority.

Green-listed species are well established and for which eradication is not currently feasible and management is not a priority due to low impact or where the cost effectiveness of control is poor. Low priority.

For the amber and green listed species, there is information readily available via the [NNS website](#) as well as the '[Good Practice Management](#)' toolkit available on the RAPID LIFE website which should be used.

Table 9: Amber and Green listed species.

Amber list species	Green list species
Giant hogweed <i>Heracleum mantegazzianum</i>	New Zealand pigmyweed <i>Crassula helmsii</i>
Himalayan balsam <i>Impatiens glandulifera</i>	Canada goose <i>Branta canadensis</i>
Japanese knotweed <i>Fallopia japonica</i>	Canadian waterweed <i>Elodea canadensis</i>
Giant knotweed <i>Fallopia sachalinensis</i>	Nuttalls waterweed <i>Elodea nuttallii</i>
Hybrid knotweed <i>Fallopia x bohemica</i>	American mink <i>Neovison vison</i>
Himalayan knotweed <i>Persicaria wallichii</i>	Monkey flower <i>Mimulus guttatus</i>
Water fern <i>Azolla filiculoides</i>	Pacific oyster <i>Crassostrea gigas</i>
Leathery sea squirt <i>Styela clava</i>	(*) Demon shrimp <i>Dikerogammarus haemobaphes</i>
Wireweed <i>Sargassum muticum</i>	
Wakame / Japanese kelp <i>Undaria pinnatifida</i>	
American signal crayfish <i>Pasifastacus leniusculus</i>	
Chinese mitten crab <i>Eriocheir sinensis</i>	
Zebra mussel <i>Dreissena polymorpha</i>	
Curly waterweed (!) <i>Lagarosiphon major</i>	

This list is in no way exhaustive. There will be freshwater and aquatic INNS that have not been listed in this table. See the [GB Non Native Species Information Portal](#) for further information.

Response Protocols

There are five key elements of response protocols that need to be considered. Stakeholder responsibilities and funding of these actions will need consideration as it is likely that swift action will be required.

Table 10. Key elements of response protocols.

Response	Action	How?
Early detection	<p>Raise public and other stakeholder awareness of invasive non-native species.</p> <p>The 'eyes' of the early warning system are trained members of the public and stakeholders.</p> <p>Promote how and where to report sightings.</p>	<p>Training workshops</p> <p>press releases</p> <p>Presentations</p> <p>Interpretation boards</p> <p>Posters</p> <p>Leaflets</p> <p>Report via INNS Mapper and local biological recording centre.</p> <p>*Alert species should be recorded via GBNSS Alert pages.</p>
Interception and preventing establishment	Contain / prevent from spreading any further or elsewhere.	<p>Biosecurity measures</p> <p>Biosecurity inspections</p> <p>Awareness raising</p>
Eradication where possible	If within a limited geographical area or areas and an effective methodology available.	<p>Alert Species</p> <p>Contingency Response Process</p>

		Strategy – working together to systematically eradicate
Long-term management	Where eradication is no longer possible due to the number and extent of outbreak, or lack of effective control methods;	Good practice management Seek advice and guidance on control methods

There are three levels of response for **blacklisted** species:

- GB priority response – led by national government organisations
- Local response at selected areas
- Contain and slow the spread

Table 11. Response Protocols

Response	Protocol	Summary
GB priority response	Report to the Non-Native Species Secretariat or CEH immediately. GBNNS Invasive Species Action Plans (ISAPs) . ISAPs are used to help coordinate the response to key invasive non-native species across England, Scotland and Wales. The plans provide a short and strategic overview identifying the	<ul style="list-style-type: none"> • Consider use of legislation to prevent sale, release and improper disposal in GB. • Increase public awareness about this species. • Eradicate the known populations • Set up suitable monitoring of water bodies • Maintain surveillance and rapidly respond if found. • Minimise the risk of re-establishment from releases and movement from existing locations. <p>Only two of the GB freshwater priority species have completed national contingency plans written for them, which will be triggered when reported. These are Water</p>

	key aims, objectives and actions.	primrose and Topmouth gudgeon which both have an ' <u>Invasive Species Action Plan</u> ' (ISAPs). A draft ISAP is under development for Floating pennywort and can be found in the Guidance for RBP Cycle 2, August 2013.
Local response at selected areas		<ul style="list-style-type: none"> • Action Plan • Risk assessment • Identification documents • Management options <p>Where INNS is a reason for a Natural Protected Area failing its conservation objectives, then measures will be included within the Site Improvement Plan (SIP). The SIP will be included in the River Basin Management Plan as part of management required to bring the Natura Protected Area into favourable condition.</p> <p>Natural England will also include control requirements for Sites of Special Scientific Interest (SSSI) where these are failing their Biodiversity 2020 requirements due to invasive non-native species.</p>
Contain and slow the spread	<p>Biosecurity measures.</p> <p>Currently no technically feasible method of eradication so main approach is to contain and to slow the spread.</p>	<ul style="list-style-type: none"> • Establish the location and distribution of outbreak through a walk over survey. • Establish the pathway or potential pathways of introduction. • Contain the outbreak if possible. • Implementation of appropriate biosecurity measures to prevent a further introduction through the same pathway or suspected pathways. • Awareness and engagement of all key stakeholders / site users.

5. Current State of Play (2018)

During the development of this RIMP, stakeholders were asked to contribute their organisations current actions and thoughts on the following:

- Prevention / biosecurity
- Early detection and rapid response
- Eradication of high priority INNS as soon as detected
- Long-term management of widespread and well-established INNS

Results are shown in a visual form where possible and other comments have been bullet pointed.

Prevention - biosecurity

How does your organisation raise awareness / carry out biosecurity actions?




Figure 4. Current biosecurity action and promotion. [Check Clean Dry \(CCD\)](#) is a national biosecurity awareness campaign.

What do you think are the main reasons for people not carrying out biosecurity?



Figure 5. Perceived barriers to carrying out biosecurity.

What does biosecurity mean to you?



Figure 6. Meaning of biosecurity.

* Most stakeholders were aware of the word 'biosecurity' but not exactly what it meant and how to implement it. The term 'biosecurity' was often been confused with INNS.

- Very little targeting of pathways – mainly freshwater recreation through secondary accidental spread.
- Stakeholders are still playing catch-up rather than having a strategic roll out of biosecurity.
- Where biosecurity is a focus – it tends to be either through providing funding for research or through collaborative working and developing protocols/ good practices.

Early detection and rapid response

Would you be confident in identifying a report of a new INNS?




Figure 7. Confidence in identification.

- 'Common INNS' included Himalayan balsam, Japanese knotweed and Giant hogweed only. Non-common included all freshwater and marine INNS.
- Very few stakeholders had trained personnel in identification of INNS. Those that had, said that they required regular refresher training for the high-risk species (the ones they didn't see every day).
- Lack of understanding of what a high priority INNS is, how to contain and eradicate, who is responsible and where the funds come from.

Where or who would you report an INNS to?




Figure 8. Reporting of an INNS record.

- All coastal/ marine stakeholders said that they would report an INNS to Natural England initially.
- Very little coordinated monitoring or surveillance being carried out. Where it is, there is a specifically funded project coordinating it.

- Still currently unclear as to who to report an INNS sighting to. (This should be to [INNS Mapper](#))
- Coastal INNS management is primarily monitoring
- Lack of understanding of what a high priority INNS is, how to contain and eradicate, who is responsible and where the funds come from.
- There is a lack of knowledge of contacts, responsibilities, action and funding available for rapid response of high priority INNS.
- Stakeholders suggested that best-practice or case studies be made available to help informed decisions to be made. ([Good Practice Management Guide](#))

Long-term management of widespread and well-established INNS.

Which species do you currently focus your control efforts on?




Figure 9. Species receiving control efforts.

- Funding for control works has been mainly from Environment Agency with regards to flooding, and Natural England with regards to protected sites.
- It has been easier to get funding for an INNS that is established than a threat, although funding available for wide-spread INNS control is now reducing.
- Himalayan balsam is easy to get volunteer groups together to control.
- Many of the Stakeholders are supporting the biocontrol trails for Himalayan balsam and Japanese knotweed taking place.

Where do you get your funding from for long-term control?




Figure 10. Reporting of an INNS record.

- Funding availability has reduced significantly in recent years for control work

- Much of the control work is reliant on volunteers but there are no funds to coordinate it strategically
- Many projects now incorporate INNS control into other projects

6. Suggested Future Actions

There is a clear need for a strategic, coordinated approach to the management of INNS. It is apparent that there is a significant gap between action on the ground, and national strategy.

Below is a list of objectives and outputs suggested to assist stakeholders when considering future priorities. Each of these actions will require a considerable amount of work.

Objective 1: Reduce the risk of the introduction and spread of INNS

*Output 1.1 – Identify, address and prioritise **pathways***

- Identify pathways and prioritise based on potential impact and the effectiveness of pathway management
- Develop Pathway Action Plans for priority pathways

*Output 1.2 – All stakeholders aware of the impacts of INNS, means of introduction and spread and **acting on** their responsibilities to reduce the risks*

- Establish baseline understanding of biosecurity – public perceptions and behaviour
- Promote better access to information about INNS and biosecurity to targeted users

*Output 1.3 – Embed **biosecurity behaviours** into stakeholders and other companies, organisations and water users*

- Work with stakeholders, other companies, organisations and water users to ensure that biosecurity is included in plans, policies and procedures.

Objective 2: Develop and establish detection and surveillance of, and rapid response mechanisms to new incidences of INNS.

*Output 2.1 – **Early warning** and reporting systems established and maintained.*

- Deliver identification training workshops to develop and grow the early warning and reporting systems
- Promote a single point of contact/ resource for reporting new incidences of INNS
- Establish local / regional rapid response teams. Find resource for training and response actions.

*Output 2.2 – **Response** mechanisms established for new INNS*

- Create Species Response Plans for high priority INNS (blacklisted or red-listed species).

Objective 3: Maintain (and create where non) a sustainable management framework for the prioritisation and control of established INNS.

*Output 3.1 – Prioritised and **coordinated control** and habitat restoration programmes established and operational.*

- Facilitate catchment wide surveys by suitably trained personnel
- Identify and implement methods of monitoring and restricting the spread of INNS where no adequate control mechanisms currently exist.
- Facilitate control programmes for established INNS
- Support the national biocontrol programmes through putting forward potential sites for release and monitoring effects
- Aid and implement habitat restorations schemes within successful eradication areas if needed
- Identify and develop opportunities for future funding of long-term management work projects.

Objective 4: Establish a sustainable long-term legacy for the prevention, detection and control beyond existing INNS / Biosecurity specific projects

Output 4.1- Stakeholders to implement coordinated biosecurity, awareness, surveys and management of INNS without external input.

- Identify needs and support building capacity for all stakeholders.
- Identify funding to support initial steps required.

Appendices

Appendix A: Glossary

Term	Explanation
Alert Species	Specific INNS species of concern
Biosecurity	A set of preventative measures designed to reduce the likelihood of transferring INNS to another area, such as by following the 'Check Clean Dry' campaign guidelines
Black List	A list of INNS for which there are measures in place to prevent its entry to a country or region. Black list species are associated with high risk of severe detrimental impact on native biodiversity, health or economy
Early Detection	When an INNS arrives, and it is quickly noticed / recorded and this information is passed on to the relevant authorities
Eradication	Removing a species entirely
Hotspot	Areas at greatest risk of INNS impact, introduction or transfer
IAS	Invasive Alien Species
INNS	Invasive Non-Native Species
Invasive non-native species or Invasive Alien Species	Also known as INNS or IAS. Species that have been introduced to areas outside of their natural range by man that have become invasive
LAGs	Local Action Groups
NGO	Non-Governmental Organisation

Pathway	A broad term used to describe the way in which an INNS Is introduced or spread. Also known as a vector
Prevention	Stopping an INNS coming into an area – usually through counter measures such as biosecurity
Rapid Response	The instigation of action against an INNS threat at a stage when a locally, regionally or nationally important win might still be achievable
RIMP	Regional INNS Management Plan
Riparian	Habitats along the sides of river banks, lakes or wetlands

Appendix B: Useful links

- Alert Species Contingency Response Process
<http://www.nonnativespecies.org/index.cfm?pageid=623>
 Alert species are organisms that are considered highly likely to invade the UK or are already present and likely to spread. They are species that have the potential to cause significant harm economically or to native species and ecosystems. On this webpage, there are presentations on identification of species and on the contingency process as well as links to ID sheets for the species. These materials are freely available to download and use for training.
- Angling Trust INNS
<http://www.anglingtrust.net/page.asp?section=649§ionTitle=Invasive+Non+Native+Species>
 17 aquatic invasive non-native species: Identification and Control advice.
- Biological Records Centre
<https://www.brc.ac.uk/recording>
 BRC is a national focus in the UK for terrestrial and freshwater species recording. It works closely with the voluntary recording community, principally through support of national recording schemes and societies.
- Better Biosecurity training tool
<https://www.nercdtp.leeds.ac.uk/news/invasive/>
 Leeds York NERC Doctoral Training Partnership (DTP) students Cat Shannon and Will Fincham, along with supervisor Dr Alison Dunn, have developed an online 'Better Biosecurity' training tool to raise awareness of the threat of invasive species to natural habitats. This tool is derived from their PhD research and aims to educate all environmental researchers on how they can ensure better biosecurity in their daily activities, especially while on fieldwork.
- Catchment Based Approach
<https://www.catchmentbasedapproach.org/catchment>
 The Catchment Based Approach (CaBA) is an inclusive, civil society-led initiative that works in partnership with Government, Local Authorities, Water Companies, businesses and more, to maximise the natural value of our environment.

- Check Clean Dry
<http://www.nonnativespecies.org/checkcleandry/>
UK Biosecurity awareness campaign

- Cumbria Freshwater Biosecurity Plan (2010-2015)
http://cfinns.scrt.co.uk/wp-content/uploads/2014/06/CFBPlan_final.pdf
This plan can be used as a template for others to address INNS either within a catchment, county or region. It presents actions for the prevention, early detection, control and mitigation of the introduction and spread of INNS.

- GB Invasive Non-native Species Strategy.
<http://www.nonnativespecies.org/index.cfm?sectionid=55>
The GB Invasive Non-native Species Strategy, originally published in 2008 and updated on 19th August 2015, is intended to provide a strategic framework within which the actions of government departments, their related bodies and key stakeholders can be better co-ordinated.

- GB Non-native Species Risk Assessments
<http://www.nonnativespecies.org/index.cfm?pageid=143>
Risk assessment is used to assess the risk of a non-native species entering, establishing, spreading and causing impacts in GB. These pages provide information on GB risk assessment scheme developed and used in GB. Completed risk assessments are also posted here.

- GB Non Native Species Information Portal
<http://www.nonnativespecies.org/factsheet/index.cfm>
The Portal provides access to distribution data for over 3000 non-native species in GB as well as additional information such as place or origin, date of introduction and methods of introduction. For 300 species much more detailed information is provided, including information on identification, impacts and control methods.

- GB Non-native Species Risk Assessments
<http://www.nonnativespecies.org/index.cfm?pageid=143>
Risk assessment is used to assess the risk of a non-native species entering, establishing, spreading and causing impacts in GB. These pages provide information on GB risk assessment scheme developed and used in GB.

- INNS MAPPER

<http://ywt-data.org/inns-mapper/>

INNS MAPPER is web-tool that aims to provide a comprehensive map of INNS distribution throughout England which can be used to inform co-ordinated and targeted management planning for any organisations working to fight these damaging plants and animals. INNS Mapper allows users to record information on presence of INNS, indicate areas of absence of INNS and, crucially, any management being undertaken.

- Identification Guides

<http://www.nonnativespecies.org/index.cfm?sectionid=47>

ID sheets have been developed to provide identification assistance. These can be freely downloaded, printed, used for stakeholder engagement and linked to from external websites.

- Invasive Species Action Plans (ISAPs)

<https://secure.fera.defra.gov.uk/nonnativespecies/index.cfm?sectionid=92>

Invasive Species Action Plans are used to help coordinate the response to key invasive non-native species across England, Scotland and Wales. The plans provide a short and strategic overview identifying the key aims, objectives and actions.

- Invasive Alien Species of Union Concern - Brochure

http://ec.europa.eu/environment/nature/pdf/IAS_brochure_species.pdf

This brochure presents at a glance the currently listed invasive alien species of Union concern, offering brief, non-technical and informal summaries of their origin, their present distribution in the EU, how they threaten our native biodiversity, and how the applicable restrictions and obligations will help mitigate their negative impacts.

- List of Alien Invasive Species of Union Concern

http://ec.europa.eu/environment/nature/invasivealien/list/index_en.htm

Also see Appendix C for the list.

The species included on the Union list are subject to restrictions and measures set out in the Regulation. These include restrictions on keeping, importing, selling, breeding and growing. Member States are required to take action on pathways of unintentional introduction, take measures for early detection and rapid eradication of these species, and to manage species that are already widely spread in their territory.

- Magic Map Application.
<https://magic.defra.gov.uk/magicmap.aspx>
 The MAGIC website provides authoritative geographic information about the natural environment from across government. The information covers rural, urban, coastal and marine environments across Great Britain. It is presented in an interactive map which can be explored using various mapping tools that are included. Natural England manages the service under the direction of a Steering Group who represent the MAGIC partnership organisations.
- Marine Invasive Non-Native Species in the Solway Firth 2018-2021
<http://www.solwayfirthpartnership.co.uk/uploads/Marine%20Invasive%20Non-native%20Species/Marine%20INNS%20in%20Solway%202018-2021.pdf>
 This plan describes the biosecurity issues of the Solway and presents actions that have been agreed with stakeholders for the prevention, early detection, control and mitigation of the introduction and spread of Marine Invasive Non-Native Species (INNS) and those INNS of freshwater and brackish water that impact on the marine and coastal environment.
- Non Native Species Secretariat
<http://www.nonnativespecies.org/home/index.cfm>
 Home of all things non-native. This website provides tools and information for those working to support the GB Invasive Non-native Species Strategy.
- NNSS e-learning
<http://www.nonnativespecies.org/elearning/>
 The NNSS has developed a range of freely available e-learning modules to provide an introduction to non-native species and how to identify them and biosecurity.
- Non-Native Species in Great Britain: establishment, detection and reporting to inform effective decision making
https://www.google.co.uk/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwitxei74f7dAhXICSwKHaKRBjQQFjAAegQICRAC&url=http%3A%2F%2Fwww.nonnativespecies.org%2FdownloadDocument.cfm%3Fid%3D753&usg=AOvVaw3hOqG9a0qP_qPGnaanec4o
 A report on a three-year Defra-funded study to enhance the ability to detect and report non-native species in GB.

- **Non-Native Species in Great Britain: establishment, detection and reporting to inform effective decision making**
https://www.google.co.uk/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwitzei74f7dAhXICSwKHaKRBjQQFjAAegQICRAC&url=http%3A%2F%2Fwww.nonnativespecies.org%2FdownloadDocument.cfm%3Fid%3D753&usg=AOvVaw3hOqG9a0qP_qPGnaanec4o
 A report on a three-year Defra-funded study to enhance the ability to detect and report non-native species in GB.
- **Pathway Action Plans**
<http://www.nonnativespecies.org/index.cfm?pageid=586>
 The GB Strategy calls for the development of Pathway Action Plans for priority pathways of introduction of INNS. These will be developed in partnership with relevant stakeholders (Key Action 3.3 of the GB Strategy).
- **Regulation (EU) 1143/2014 on the prevention and management of the introduction and spread of invasive alien species.**
<https://eurlex.europa.eu/legalcontent/EN/TXT/?qid=1483614313362&uri=CELEX:32014R1143>
 The core of Regulation (EU) 1143/2014 is the list of Invasive Alien Species of Union concern ([the Union list](#)), which is updated regularly. Both the European Commission and the Member States can propose additional species for inclusion on the Union list, according to Article 4(4) of the Regulation including a risk assessment.
- **RAPID LIFE – Reducing and Preventing Invasive Alien Species Dispersal**
<http://www.nonnativespecies.org/index.cfm?pageid=615>
 RAPID LIFE is a three-year project (2017-2020) piloting innovative approaches to IAS management in freshwater aquatic, riparian and coastal environments across England. The project has two strands: one strand engages regional stakeholders in the production and implementation of five Regional IAS Management Plans (RIMPS) delivering consistent, regionally tailored prevention, early warning, rapid response, eradication and control of IAS throughout England. A second phase will produce awareness raising materials and training toolkits for water resource managers and user groups along with materials to improve uptake of biosecurity to slow the spread and prevent introduction of new IAS in regions.

- RAPID INNS Management Toolkit: "Alert" species
<http://www.nonnativespecies.org/index.cfm?pageid=623>
 Alert species are organisms that are considered highly likely to invade the UK or are already present and likely to spread. They are species that have the potential to cause significant harm economically or to native species and ecosystems. On this webpage, there are presentations on identification of species and on the contingency process as well as links to ID sheets for the species. These materials are freely available to download and use for training
- RAPID INNS Management Toolkit: Good Practice Management
<http://www.nonnativespecies.org/index.cfm?pageid=624>
 Good Practice Management Guides set out management options for established invasive species based on available evidence.
- The Economic Cost of Invasive Non-Native Species on Great Britain.
https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwiAtp_Vv_7dAhXjzoUKHeAjC9sQFjAAegQICRAC&url=http%3A%2F%2Fwww.nonnativespecies.org%2FdownloadDocument.cfm%3Fid%3D487&usg=AOvVaw0HMzAWyqy1pbUE41DgAWS9
 A report on the negative economic impact of INNS
- UK Technical Advisory Group Classification of aquatic alien species and the WFD
<https://www.wfduk.org/sites/default/files/Media/Assessing%20the%20status%20of%20the%20water%20environment/UKTAG%20classification%20of%20alien%20species%20working%20paper%20v7.6.pdf>
 Revised classification of aquatic alien species according to their level of impact (2015)
- UK Technical Advisory Group Classification of aquatic alien species and the WFD.
<https://www.wfduk.org/sites/default/files/Media/Assessing%20the%20status%20of%20the%20water%20environment/UKTAG%20classification%20of%20alien%20species%20working%20paper%20v7.6.pdf>
 Classification of aquatic alien species found in the UK in terms of their impact on native habitats and biota.

Appendix C: List of Species of European Union of Concern

PLANTS

Scientific name	English/ common name
<i>Alternanthera philoxeroides</i>	Alligator weed
<i>Asclepias syriaca</i>	Common milkweed
<i>Baccharis halimifolia</i>	Eastern baccharis
<i>Cabomba caroliniana</i>	Fanwort
<i>Eichhornia crassipes</i>	Water hyacinth
<i>Elodea nuttallii</i>	Nuttall's waterweed
<i>Gunnera tinctoria</i>	Chilean rhubarb
<i>Heracleum mantegazzianum</i>	Giant hogweed
<i>Heracleum persicum</i>	Persian hogweed
<i>Heracleum sosnowskyi</i>	Sosnowsky's hogweed
<i>Hydrocotyle ranunculoides</i>	Floating pennywort
<i>Impatiens glandulifera</i>	Indian balsam
<i>Lagarosiphon major</i>	Curly waterweed
<i>Ludwigia grandiflora</i>	Water-primrose
<i>Ludwigia peploides</i>	Floating primrose-willow
<i>Lysichiton americanus</i>	American skunk cabbage
<i>Microstegium vimineum</i>	Japanese stiltgrass
<i>Myriophyllum aquaticum</i>	Parrot's feather
<i>Myriophyllum heterophyllum</i>	Broadleaf watermilfoil
<i>Parthenium hysterophorus</i>	Whitetop weed
<i>Pennisetum setaceum</i>	Crimson fountaingrass
<i>Persicaria perfoliata</i>	Asiatic tearthumb
<i>Pueraria lobata</i>	Kudzu vine

ANIMALS

Scientific name	English/ common name
<i>Alopochen aegyptiacus</i>	Egyptian goose
<i>Callosciurus erythraeus</i>	Pallas' squirrel
<i>Corvus splendens</i>	Indian house crow
<i>Eriocheir sinensis</i>	Chinese mitten crab
<i>Herpestes javanicus</i>	Small Asian mongoose
<i>Lithobates catesbeianus</i>	American bullfrog
<i>Muntiacus reevesi</i>	Muntjac deer
<i>Myocastor coypus</i>	Coypu
<i>Nasua nasua</i>	Coati
<i>Nyctereutes procyonoides</i>	Raccoon dog
<i>Ondatra zibethicus</i>	Muskrat
<i>Orconectes limosus</i>	Spiny-cheek crayfish
<i>Orconectes virilis</i>	Virile crayfish
<i>Oxyura jamaicensis</i>	Ruddy duck
<i>Pacifastacus leniusculus</i>	Signal crayfish
<i>Percottus glenii</i>	Amur sleeper
<i>Procambarus clarkii</i>	Red swamp crayfish
<i>Procambarus fallax f. virginalis</i>	Marbled crayfish
<i>Procyon lotor</i>	Raccoon
<i>Pseudorasbora parva</i>	Stone moroko
<i>Sciurus carolinensis</i>	Grey squirrel
<i>Sciurus niger</i>	Fox squirrel
<i>Tamias sibiricus</i>	Siberian chipmunk
<i>Threskiornis aethiopicus</i>	Sacred ibis
<i>Trachemys scripta</i>	Red-eared, yellow-bellied and Cumberland sliders
<i>Vespa velutina nigrithorax</i>	Asian hornet

Appendix D: RAPID LIFE regions

Proposed Regions for LIFE Project

